

OCT 14 2004

Merchant & Gould

An Intellectual Property Law Firm

3200 IDS Center
80 South Eighth Street
Minneapolis, Minnesota
55402-2215 USA
TEL 612.332.5300
FAX 612.332.9081
www.merchant-
gould.com

A Professional Corporation

Fax Transmission | October 14, 2004

TO: Commissioner for Patents
Attn: Examiner Jason M. Greene
P.O. Box 1450
Alexandria, VA 22313-1450

FROM: Mark DiPietro

OUR REF: 758.1234USC1
TELEPHONE: 612.371.5375

Total pages, including cover letter: 29

PTO FAX NUMBER 1-703.872.9306

If you do NOT receive all of the pages, please telephone us at 612.332.5300, or fax us at 612.332.9081.

Title of Document Transmitted: AMENDMENT AND RESPONSE
Applicant: GILLINGHAM et al.
Serial No.: 10/732,709
Filed: 12/10/2003
Group Art Unit: 1724
Our Ref. No.: 758.1234USC1
Confirmation No. 2079

Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate.

By: Mark DiPietro
Name: Mark DiPietro
Reg. No.: 28,707

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.

Darlene M. Stack

Darlene M. Stack
Signature

October 14, 2004
Date

OCT 14 2004

S/N 10/732,709

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	GILLINGHAM et al.	Examiner:	JASON M. GREENE
Serial No.:	10/732,709	Group Art Unit:	1724
Filed:	12/10/2003	Docket No.:	758.1234USC1
Confirmation No.:	2079		
Title:	METHODS FOR FILTERING AIR FOR A GAS TURBINE SYSTEM		

AMENDMENT AND RESPONSE

Mail Stop: Non-Fee Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action mailed July 15, 2004, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims that begins on page 3 of this paper.

Remarks begin on page 19 of this paper.